PRESSRELEASE



Shionogi Announces Global Phase 3 Trial Demonstrates Post-Exposure Prophylactic Use of Ensitrelyir Prevents Symptomatic COVID-19

 SCORPIO-PEP is the First Phase 3 Trial with Post-Exposure Prophylactic Use of an Oral Antiviral to Meet the Primary Endpoint of Preventing Symptomatic COVID-19 Infection

OSAKA, Japan, October 29, 2024 – Shionogi & Co., Ltd. (Head Office: Osaka, Japan; Chief Executive Officer: Isao Teshirogi, Ph.D.; hereafter "Shionogi") today announced that its double-blind, randomized, placebocontrolled global Phase 3 study, **S**topping **CO**VID-19 p**R**ogression with early **P**rotease **I**nhibit**O**r treatment – **P**ost **E**xposure **P**rophylaxis (SCORPIO-PEP), met its primary endpoint. Once-daily ensitrelvir (Generic name: ensitrelvir fumaric acid, Code No.: S-217622, hereafter "ensitrelvir") demonstrated a statistically significant reduction in the proportion of participants with symptomatic SARS-CoV-2 infection after exposure to household contacts with COVID-19 when compared to placebo. Specifically, the primary endpoint assessed COVID-19 symptoms onset through Day 10. Ensitrelvir was well tolerated by study participants and no new safety concerns were identified.

Ensitrelvir is an investigational oral antiviral that suppresses the replication of SARS-CoV-2 by selectively inhibiting the viral 3CL protease. Ensitrelvir was granted Fast Track designation by the U.S. Food and Drug Administration in 2023 for the treatment of COVID-19. In Japan, ensitrelvir, known as Xocova®, received emergency regulatory approval in 2022 and full approval in March 2024 for the treatment of COVID-19. Ensitrelvir was also made available in Singapore based on the Special Access Route application in 2023. It remains an investigational drug outside of Japan and Singapore.

"COVID-19 remains an important public health priority, yet there are currently no oral antiviral medications approved for post-exposure prophylactic use. There is a need for convenient, preventive approaches to protect ourselves and those close to us from contracting SARS-CoV-2," said Simon Portsmouth, MD, FRCP, Senior Vice President, Head of Clinical Development. "These data demonstrate a new potential for post exposure prophylactic use of ensitrelyir, expanding on the breadth of clinical and real-world evidence that establish its activity in those infected with SARS-CoV-2."

SCORPIO-PEP included approximately 2,400 participants aged 12 years and older across the U.S. as well as several countries in South America, Africa and Asia. Study participants with a negative screening test for SARS-CoV-2 infection and no symptoms, who were exposed to a person living in their household with symptomatic COVID-19, were randomly assigned in a 1:1 ratio to receive ensitrelyir (125 mg) or placebo once daily. Study participants began treatment within three days of when the household member with COVID-19 began showing symptoms. Participants then continued ensitrelyir or placebo for five days. Additional details on the study are available on clinicaltrials.gov (NCT05897541).

Detailed results from SCORPIO-PEP will be submitted for a presentation at a future scientific conference.

About ensitrelvir

Ensitrelvir is a 3CL protease inhibitor created through joint research between Hokkaido University and Shionogi. SARS-CoV-2 has an enzyme called 3CL protease, which is essential for the replication of the virus. Ensitrelvir suppresses the replication of SARS-CoV-2 by selectively inhibiting the 3CL protease.

The U.S. Food and Drug Administration (FDA) granted Fast Track designation to ensitrelyir for COVID-19. FDA Fast Track designation is designed to facilitate the development and expedite the review of potential new therapies that treat serious conditions and fulfill an unmet medical need. Known as Xocova® in Japan, ensitrelyir received emergency regulatory approval in 2022 and full approval in March 2024. Ensitrelyir was made available in Singapore in November 2023 based on the Special Access Route application. Ensitrelyir remains an investigational drug outside of Japan and Singapore. In addition, the brand name Xocova® has not been approved for use outside of Japan and Singapore and pertains only to the approved drug in Japan and Singapore.

About the ensitrelvir Clinical Development Program

Shionogi has a robust clinical development program for ensitrelyir and is committed to making it available to populations worldwide. In addition to SCORPIO-HR, Shionogi evaluated the safety and efficacy of ensitrelyir through SCORPIO-SR, a Phase 2/3 study conducted in Asia, during the Omicron-dominant phase of the epidemic. The data from this study were <u>published</u> in JAMA Network Open.

Additionally, an <u>investigator-initiated research study</u> is ongoing in hospitalized patients for the management of COVID-19 as part of the new Strategies and Treatments for Respiratory Infections & Viral Emergencies (STRIVE) platform protocol. STRIVE was developed under the auspices of NIH's Accelerating COVID-19 Therapeutic Interventions and Vaccines (ACTIV) public-private partnership. Shionogi is also studying the safety and efficacy of ensitrelyir in Japan for children between the ages of 6 to 11 years old.

About Shionogi in Infectious Disease

Since 1953, Shionogi has been a leader in infectious disease discovery and commercialization. Our R&D story extends beyond antibiotics to include novel medications for HIV and influenza. Today, our global pipeline includes investigational agents developed to address global health challenges including antimicrobial resistance, COVID-19, influenza, rare fungal diseases and respiratory syncytial virus.

As part of our commitment to addressing unmet medical needs, Shionogi is partnering with several non-governmental organizations to increase equitable access to our medications worldwide. Shionogi has a landmark license and technology transfer agreement for cefiderocol with <u>Global Antibiotic Research and Development Partnership (GARDP) and a collaboration agreement with the Clinton Health Access Initiative (CHAI)</u> to transform the landscape of access to antibiotics in many low-income countries, most lower middle-and upper middle-income countries, and select high-income countries.

Forward-Looking Statements

This announcement contains forward-looking statements. These statements are based on expectations in light of the information currently available, assumptions that are subject to risks and uncertainties which could cause actual results to differ materially from these statements. Risks and uncertainties include general domestic and international economic conditions such as general industry and market conditions, and changes of interest rate and currency exchange rate. These risks and uncertainties particularly apply with respect to product-related forward-looking statements. Product risks and uncertainties include, but are not limited to, completion and discontinuation of clinical trials; obtaining regulatory approvals; claims and concerns about product safety and efficacy; technological advances; adverse outcome of important litigation; domestic and foreign healthcare reforms and changes of laws and regulations. Also for existing products, there are manufacturing and marketing risks,

which include, but are not limited to, inability to build production capacity to meet demand, lack of availability of raw materials and entry of competitive products. The company disclaims any intention or obligation to update or revise any forward-looking statements whether as a result of new information, future events or otherwise.

For Further Information, Contact:

SHIONOGI Website Inquiry Form: https://www.shionogi.com/global/en/contact.html